

〈依規格一扁條〉

扁條	寬度	厚度	單米重		扁條	寬度	厚度	單米重
35517	4	4	0.044		35409	20	10	0.55
35294	6.6	5	0.091		35295	20	12	0.66
35513	7	6	0.114		35298	20	14	0.77
35537	8	8	0.176		35324	20	15	0.825
35548	9	7.5	0.184		35312	20	17	0.935
35323	9.3	6	0.153		35401	20	20	1.1
35349	9.5	9.5	0.248		35463	22	8	0.484
35455	9.8	7.7	0.208		35272	22.2	6.35	0.388
M8110	10	8	0.22		35235	22.2	22.2	1.355
I8601	10	10	0.275		35189	23	6	0.38
35413	11	8	0.242		35326	23	10	0.633
5115	11.5	2.5	0.079		35196	24	3.18	0.21
35273	12	3	0.099		35178	24	5	0.33
35514	12	6	0.196		3538	25	3	0.206
35356	12	8	0.264		3597	25	5	0.344
35296	12	12	0.396		H5002	25	9.5	0.653
35199	12.7	6.35	0.222		35541	25	10	0.679
35443	12.7	9.53	0.333		35300	25	12	0.825
35485	12.7	10	0.349		35317	25	12.5	0.859
35254	12.7	12.7	0.444		E79604	25.4	2.8	0.196
35184	12.8	4.7	0.165		35194	25.4	3.18	0.222
35540	12.8	12.8	0.445		35492	25.4	4	0.279
IA601	13	4.5	0.161		35493	25.4	5	0.349
H5005	13	6	0.215		35195	25.4	6.35	0.444
35305	14	12	0.462		35251	25.4	9.53	0.666
G4205	14.5	14.5	0.578		35245	25.4	12.7	0.887
35181	14.75	9.8	0.398		35253	25.4	15.88	1.109
35266	15	2	0.083		35481	25.4	16.1	1.125
3502	15	6	0.245		35265	25.4	19	1.327
I8931	15	15	0.619		35397	25.4	22.2	1.551
35214	15.5	4.4	0.188		35198	25.4	25.4	1.774
35435	15.8	12.7	0.552		35480	25.5	10	0.701
35241	15.88	15.88	0.693		35405	26	20	1.43
35454	16	10	0.44		35415	26.4	26.4	1.917
35484	16	16	0.704		35434	27	24	1.782
35215	16.5	5	0.227		35532	27.6	18.3	1.389
35231	18	4	0.198		35322	28	15	1.155
35309	18	4.4	0.218		35491	28.5	28.5	2.234
35230	18	13	0.644		35350	28.6	28.6	2.249
35523	19	5	0.258		NA7188	28.96	4.78	0.381
I8932	19	8	0.418		35291	29	1.1	0.088
G3720	19	9.5	0.496		35432	29	5	0.399
G5402	19	9.5	0.496		35357	29	12	0.957
3505	19	19	0.982		35201	30	4	0.33
3505D	19.05	2.8	0.147		35205	30	8	0.66
E79602	19.05	2.8	0.147		ME921	30	10	0.825
3505E	19.05	3	0.157		35547	30	12.7	1.043
3505F	19.05	5.8	0.304		ME923	30	15	1.238
35237	19.05	6.35	0.333		35488	30	16	1.32
G3773	19.05	9.5	0.498		3530A	30	20	1.65
35252	19.05	12.7	0.665		35412	30	30	2.475
I8644	19.2	8.4	0.444		35256	31.7	27	2.354
35410	20	5	0.275		35247	31.75	6.35	0.554
35392	20	6	0.33		35100	31.75	9.5	0.829
35361	20	8	0.44		35232	31.75	12.7	1.109

〈依規格一扁條〉

扁條	寬度	厚度	單米重		扁條	寬度	厚度	單米重
35233	31.75	15.88	1.387		35518	44.5	6.35	0.769
35126	31.75	19.05	1.663		35287	44.5	9.5	1.163
35334	31.75	22.2	1.938		35521	44.5	12.7	1.537
35150	31.75	25.4	2.218		35519	44.5	15.8	1.912
35132	31.75	31.75	2.772		35520	44.5	19	2.3
35465	31.8	9.5	0.822		35398	44.5	22.2	2.717
35512	31.8	15.7	1.358		35302	44.5	25.4	3.108
35500	31.8	15.9	1.375		35255	44.5	44.5	5.446
35327	32	4.5	0.396		35441	45	1.4	0.173
35546	33	3	0.269		35374	45	3.4	0.421
35303	33	14	1.271		35365	45	4.1	0.507
35416	33	22	1.997		35372	45	12.7	1.572
35402	35	8	0.77		35373	45	15.9	1.968
35375	35	14	1.348		35315	45	17	2.104
35306	35	18	1.733		35371	45	19	2.351
35190	35	26	2.503		35496	45	38.1	4.663
35274	35	35	3.369		35191	45	45	5.569
35355	36	22	2.178		35304	45.5	14	1.752
35284	38	2.6	0.272		35262	47	5	0.646
35220	38	4.7	0.491		A26152	47.04	9.525	1.232
35538	38	29	2.997		35515	47.1	31.1	3.984
3509D	38.1	2.8	0.293		35511	49	45	5.998
3509F	38.1	5.8	0.608		35185	50	7	0.963
35210	38.1	6.35	0.665		35226	50	10	1.375
35404	38.1	8	0.838		35297	50	12	1.65
35234	38.1	9.53	0.999		35299	50	14	1.925
35113	38.1	10	1.048		HB408	50	15	2.063
35242	38.1	12.7	1.331		ME925	50	15	2.063
35217	38.1	15.8	1.655		AD1757	50	40	5.5
35239	38.1	19.05	1.996		35260	50.2	10	1.381
35335	38.1	22.2	2.326		3574	50.5	6	0.833
35128	38.1	25.4	2.661		E79605	50.8	3	0.419
35158	38.1	31.75	3.327		35408	50.8	4.9	0.685
35160	38.1	38.1	3.992		35238	50.8	6.35	0.887
G5411	38.86	6.35	0.679		35482	50.8	8	1.118
35264	39	5	0.536		35136	50.8	9.5	1.327
3581	39.9	5.8	0.636		35243	50.8	12.7	1.774
35222	40	3	0.33		35123	50.8	15.88	2.218
35200	40	5	0.55		35127	50.8	19.05	2.661
H2384	40	5	0.55		35244	50.8	22.2	3.101
N1777	40	10	1.1		35129	50.8	25.4	3.548
35204	40	12	1.32		35131	50.8	31.75	4.435
35261	40	13.3	1.463		35142	50.8	38.1	5.323
35314	40	14	1.54		35133	50.8	50.8	7.097
35321	40	15	1.65		35269	51	5	0.701
35313	40	17	1.87		35506	51.33	1.5	0.209
35396	40	20	2.2		35329	52	4.6	0.658
3531D	40	30	3.3		35370	52	6.7	0.958
35490	40.05	1.5	0.165		35328	52	16	2.288
35539	42	8	0.914		35236	53	3.05	0.445
3532	42	42	4.851		35411	54	42	6.237
35325	44	15.5	1.876		35406	54	50	7.425
35531	44	34	4.114		35259	54	54	8.019
35388	44.1	3.1	0.376		HB401	54.25	8.25	1.231
35395	44.4	32	3.907		35368	55	1	0.151

〈依規格一扁條〉

扁條	寬度	厚度	單米重		扁條	寬度	厚度	單米重
35118	55	6	0.908		35353	71	71	13.863
35507	55	11	1.646		35499	72	6	1.175
35193	56	3.18	0.49		35423	72	8	1.584
35501	56	4	0.609		35422	72	34	6.732
35229	56	9	1.386		35431	72	42	8.316
35386	57	31.8	4.985		35278	74	33.5	6.817
35391	57	38.1	5.972		35471	75	4	0.825
35134	57.15	57.15	8.982		35212	75	4.6	0.949
35292	58	2	0.319		35263	75	5	1.031
35486	59.5	16	2.618		35378	76	34	7.106
35164	59.5	19	3.109		35249	76.2	6.35	1.331
35383	59.5	32	5.236		35137	76.2	9.5	1.991
35498	60	2.5	0.408		35148	76.2	12.7	2.661
35479	60	25	4.125		35154	76.2	15.88	3.328
35477	60	28	4.62		35145	76.2	19.05	3.992
AD141	60	50	8.25		35285	76.2	22.2	4.652
35351	60	60	9.9		35130	76.2	25.4	5.323
35433	61	46	7.717		35157	76.2	31.75	6.653
35319	61.8	2	0.34		35141	76.2	38.1	7.984
35103	62	20	3.41		35344	76.2	44.5	9.325
35316	63	14	2.426		35168	76.2	50.8	10.645
35248	63.5	6.35	1.109		35165	76.2	76.2	15.968
35246	63.5	9.53	1.664		35524	76.4	15.88	3.336
35147	63.5	12.7	2.218		35504	77	9.5	1.99
35124	63.5	15.88	2.773		35223	77.85	2.4	0.514
35144	63.5	19.05	3.327		35202	78	2.4	0.515
35177	63.5	22.2	3.877		35330	78	3	0.644
35439	63.5	24	4.191		35417	78	31	6.65
35151	63.5	25.4	4.435		35505	78.25	4.3	0.915
35159	63.5	31.75	5.544		3571	80	2.5	0.55
35143	63.5	38.1	6.653		35483	80	3	0.66
35286	63.5	44.5	7.771		3598	80	8	1.76
35175	63.5	50.8	8.871		35528	80	13	2.86
35381	63.5	57	9.954		35516	80	25	5.44
35176	63.5	63.5	11.089		35213	80	60	13.2
35270	64	5	0.88		35403	80.5	11.5	2.546
35390	65	2	0.358		35332	80.8	4	0.889
35219	65	3	0.536		35473	82	2	0.451
AD1758	65	30	5.363		35358	82.5	82.5	18.717
G7701	65	61	10.904		35379	83	26.6	6.071
35530	66	3.5	0.635		35418	83	28	6.391
35509	66	63	11.31		35348	84	64	14.784
35352	67	67	12.345		3594	84.5	8	1.859
35359	68	1.5	0.281		35117	85	7	1.636
3559	68	4	0.748		35502	85	7.6	1.757
35419	68	34	6.358		H5013	85.5	6	1.411
35495	69	9.5	1.783		35428	86.5	66.5	15.819
35180	70	2	0.385		35138	88.9	9.5	2.323
35474	70	4	0.77		35149	88.9	12.7	3.105
AD162	70	6	1.155		35155	88.9	15.88	3.882
35438	70	15	2.888		35240	88.9	19.05	4.657
AD1759	70	40	7.7		35336	88.9	22.2	5.427
35224	70	63.5	12.224		3595	88.9	25.4	6.21
35364	71	52	10.153		35227	88.9	31.75	7.762
35425	71	56	10.934		35343	88.9	38.1	9.314

〈依規格一扁條〉

扁條	寬度	厚度	單米重		扁條	寬度	厚度	單米重
35459	88.9	88.9	21.734		35393	102	3	0.842
35288	89	3.2	0.783		35112	103	5	1.416
35407	89	6.35	1.554		35468	103	51	14.446
3514	89	27	6.536		35508	104	43.5	12.305
35342	89	38.1	9.325		35533	105	13.5	3.898
35489	89	45	11.014		35120	105	19	5.486
35354	89	50.8	12.433		35494	106	56	16.324
35257	89	76	18.601		35209	107	28	8.239
35448	90	1.5	0.371		35367	108	32.5	9.653
35104	90	2.45	0.606		35318	110	5	1.513
35427	90	7	1.733		3558	110	8.05	2.435
35119	90	15	3.713		35478	110	21	6.353
35442	90	54	13.365		35228	110	28	8.47
35387	90.25	6.1	1.514		35414	113	1.9	0.59
35451	90.5	5.1	1.269		35444	113	3.95	1.227
35276	91	11.5	2.878		35470	114.3	114.3	35.927
35467	91	51	12.763		35376	115	7	2.214
35283	91.5	7.15	1.799		35449	115	12.1	3.827
35475	91.6	3	0.756		35536	115	60	18.975
3562	92.2	92.2	23.377		35497	116	4	1.262
A26153	92.76	9.525	2.43		35466	116	24	7.656
35307	93	3.2	0.818		35384	119	3	0.982
35366	93	5.5	1.407		35162	120	4.1	1.353
35447	94	32	8.272		35380	120	6	1.98
35106	95	4	1.045		NA726	120	8	2.64
35452	95	6.1	1.594		35399	120	10.8	3.564
35450	95	7.1	1.855		35163	120	12.1	3.993
35510	95	93	24.031		35545	120	15	4.895
35526	96	96	25.344		35377	120	23.5	7.755
35436	97	49	13.071		35429	120	24	7.92
35437	97	58	15.472		35110	120	52	17.16
35487	98	14	3.773		35275	121	8.4	2.795
35279	100	2	0.55		35445	122	3.95	1.325
AD163	100	12	3.3		35440	122	38	12.749
35534	100	14	3.85		3573	123	3	1.015
35535	100	17	4.675		35385	124	61	20.801
35121	100	54	14.85		35105	125	4	1.375
35426	101	81	22.498		AD158	125	12	4.125
35290	101.3	76	21.172		35140	127	9.5	3.318
35250	101.6	6.35	1.774		35174	127	12.7	4.435
3596	101.6	7	1.956		35156	127	15.88	5.546
35139	101.6	9.5	2.654		35167	127	19.05	6.653
35268	101.6	9.7	2.71		35188	127	22	7.684
35161	101.6	12.7	3.548		35172	127	25.4	8.871
35125	101.6	15.88	4.437		35170	127	31.75	11.089
35146	101.6	19.05	5.323		35171	127	38.1	13.306
35337	101.6	22.2	6.203		35347	127	50.8	17.742
35153	101.6	25.4	7.097		35458	127	57	19.907
35166	101.6	31.75	8.871		35277	128.5	8.8	3.11
35169	101.6	38.1	10.645		35116	130	2	0.715
35345	101.6	44.5	12.433		3569	130	3	1.073
35289	101.6	50.8	14.194		3588	130	5	1.788
35460	101.6	101.6	28.387		35543	130	8.5	3.039
35469	101.6	101.6	28.387		35192	130	41	14.658
35111	102	3	0.842		35197	130	45	16.088

〈依規格一扁條〉

扁條	寬度	厚度	單米重	扁條	寬度	厚度	單米重
35308	131	3.2	1.153	H5010	176.5	6	2.912
35453	132	76	27.588	35211	177.8	13	6.356
35331	134	21	7.739	3550	178	2.5	1.224
3578	134	33	12.161	3544	180	5	2.475
35446	136	3.95	1.477	35333	180	20	9.9
35382	136	61	22.814	35338	180	25.4	12.573
3592	138	4.6	1.746	3546	184	3.2	1.619
3517	138	13	4.88	35310	185	2.8	1.425
3582	140	3.25	1.251	3560	185	4	2.035
35522	140	5.1	1.964	3567	188	5	2.585
35456	140	18	6.93	35341	188	33	17.061
35280	140.3	6.15	2.373	35107	190	4	2.09
35281	140.3	8.15	3.144	3575	190.5	6.4	3.353
35529	142	16.6	6.482	35208	197	13.5	7.314
35101	144	4	1.584	35186	199.25	3.2	1.753
35472	144	39	15.444	35218	200	7	3.85
35464	144	58	22.968	35527	200	13	7.15
35421	145.5	2.65	1.06	AD1737	200	15	8.25
35320	147	3	1.213	35362	200	18	9.9
A0601	147.05	6	2.426	AD1738	200	20	11
35293	149	7	2.868	35363	200	21	11.55
35311	150	6	2.475	35258	200	23	12.65
AD107	150	10	4.125	35339	200	25.4	13.97
AD1572	150	15	6.188	3564	209	3.2	1.839
AD1811	150	20	8.25	35389	220	6	3.63
35207	151	13	5.398	35542	231.8	7	4.462
35394	152	32	13.376	35544	236.5	11	7.076
35360	152	52	21.736	35179	250	6	4.125
M7314	152	52	21.736	35503	280	3.1	2.361
3590	152.4	5	2.096				
3589	152.4	25.4	10.645				
35340	152.4	31.75	13.306				
35346	152.4	45	18.86				
35301	152.7	16.2	6.803				
35400	153	20	8.415				
35476	156	73.6	31.574				
3576	157	3	1.295				
35462	159	10.5	4.591				
35461	159	12.5	5.466				
3518	160	8	3.52				
3580	164	6	2.706				
35206	165	2.65	1.202				
3543	165	3.5	1.588				
35420	165.5	2.65	1.206				
35221	166	3	1.37				
3577	166	38	17.347				
3591	170	6	2.805				
3545	170	10	4.675				
3553	170	11.5	5.376				
3552	170	15.5	7.246				
35549	170	35	16.183				
35282	170.3	8.15	3.817				
35457	174.5	1.9	0.912				
3556	175	3.1	1.492				
AD1736	175	15	7.219				