

〈依規格—圓管〉

圓管	外徑	內徑	厚度	單米重	圓管	外徑	內徑	厚度	單米重
36713	6	3.2	1.4	0.056	36570	16	10	3	0.337
36707	6	4	1	0.043	36416	16	11	2.5	0.292
H2391	6.2	3.5	1.35	0.057	36433	16	12.2	1.9	0.231
36829	8	3.3	2.35	0.115	36117	16.1	5	5.55	0.506
36825	8	3.45	2.28	0.113	36310	16.1	12.95	1.575	0.198
36747	8.8	6	1.4	0.089	36681	16.2	8.92	3.64	0.395
36735	9.15	6.95	1.1	0.076	36538	16.5	14.3	1.1	0.146
36537	9.3	2.6	3.35	0.172	36525	16.7	7.4	4.65	0.484
36819	9.5	2.5	3.5	0.181	36858	16.8	12.6	2.1	0.266
36576	9.5	3.5	3	0.168	36551	16.8	13	1.9	0.245
36546	10	5.1	2.45	0.16	36574	16.8	14.4	1.2	0.162
36572	10	6	2	0.138	36455	17	7.6	4.7	0.499
36659	10	6.6	1.7	0.122	36555	17	11	3	0.363
36805	10.1	7.7	1.2	0.092	36602	17.5	7.1	5.2	0.552
36540	10.3	7	1.65	0.123	36419	17.5	12	2.75	0.35
36556	10.3	7.4	1.45	0.111	36430	17.5	14.3	1.6	0.22
36432	10.5	6.5	2	0.147	36840	17.8	10.2	3.8	0.455
36543	11.3	6.1	2.6	0.195	36849	18	16	1	0.147
36837	11.3	7.82	1.74	0.142	36797	18.8	11.2	3.8	0.492
36848	11.8	7.8	2	0.167	36598	18.8	14.4	2.2	0.316
36751	11.8	9.5	1.2	0.105	36715	19	5	7	0.726
36760	11.8	9.6	1.1	0.101	36139	19	5.2	6.9	0.721
36488	11.9	5.6	3.15	0.238	36860	19	6.5	6.25	0.688
36611	11.9	6.9	2.5	0.203	36397	19	8.6	5.2	0.62
36642	11.9	8.3	1.8	0.157	36592	19	9	5	0.605
36536	12	9	1.5	0.136	36571	19	13	3	0.415
36369	12.7	8.7	2	0.185	36567	19	17	1	0.156
36828	12.9	10.18	1.36	0.136	36168	19.05	14.05	2.5	0.357
36223	13.1	10	1.55	0.155	36586	19.05	15.05	2	0.295
36444	13.2	11.2	1	0.105	36171	19.05	16.65	1.2	0.185
36425	13.5	11	1.25	0.132	36668	19.1	15.85	1.63	0.245
36518	13.6	9.64	1.98	0.199	36473	19.1	15.9	1.6	0.242
36604	13.8	7.4	3.2	0.293	36175	19.3	5.3	7	0.744
36749	14	3.7	5.15	0.389	36637	20	5	7.5	0.81
36297	14	7	3.5	0.317	36289	20	12.7	3.65	0.516
36753	14	9	2.5	0.246	36438	20	13	3.5	0.499
36545	14	11.1	1.45	0.157	36164	20	14.9	2.55	0.384
36816	14.2	8.2	3	0.29	36542	20	18.1	0.95	0.156
36124	14.2	10.2	2	0.211	36636	20.1	8.5	5.8	0.717
36565	14.2	12.1	1.05	0.119	36435	20.1	11	4.55	0.611
36859	14.5	12	1.25	0.143	36244	20.3	17.9	1.2	0.198
36833	14.7	10.3	2.2	0.238	36619	20.5	9.7	5.4	0.704
36615	14.9	10.9	2	0.223	36366	20.65	13.15	3.75	0.548
36803	15	5	5	0.432	36198	20.7	18.6	1.05	0.178
36569	15	11.98	1	0.176	36575	20.8	18.4	1.2	0.203
36442	15.2	3.2	6	0.477	36682	21	6.3	7.35	0.867
36595	15.2	3.7	5.75	0.469	36181	21	16.1	2.45	0.393
36779	15.2	9.2	3	0.313	36658	21.3	9.7	5.8	0.777
36780	15.7	9.3	3.2	0.342	36657	21.3	11.1	5.1	0.714
36634	15.8	11.42	2.19	0.258	36633	21.7	9.9	5.9	0.805
36585	15.9	12.9	1.5	0.187	36513	21.7	11.15	5.28	0.749

〈依規格—圓管〉

圓管	外徑	內徑	厚度	單米重	圓管	外徑	內徑	厚度	單米重
36772	21.8	13.4	4.2	0.632	36632	25.18	20.48	2.35	0.464
36854	21.8	16.3	2.75	0.448	36799	25.2	8.8	8.2	1.204
36333	21.8	16.4	2.7	0.441	36238	25.35	20.9	2.225	0.445
36463	22	6.3	7.85	0.96	36553	25.4	5.2	10.1	1.335
36300	22	9	6.5	0.87	36490	25.4	8.6	8.4	1.234
36548	22	12	5	0.734	36511	25.4	9.8	7.8	1.186
36298	22	12.7	4.65	0.697	36549	25.4	12.7	6.35	1.045
36449	22	16	3	0.492	3605	25.4	15.34	5.03	0.885
36208	22	17	2.5	0.421	36128	25.4	17.34	4.03	0.744
36820	22	18.1	1.95	0.338	3607	25.4	19.34	3.03	0.586
36738	22	19.6	1.2	0.213	3609	25.4	20.14	2.63	0.517
36583	22	19.8	1.1	0.199	36499	25.4	20.2	2.6	0.512
3606	22.17	17.37	2.4	0.41	36127	25.4	20.56	2.42	0.48
36731	22.2	9	6.6	0.89	36484	25.4	21	2.2	0.441
36165	22.2	14.2	4	0.629	L2801	25.4	21.4	2	0.404
36237	22.2	14.2	4	0.629	3660D	25.4	21.8	1.8	0.367
36209	22.2	17.75	2.225	0.384	36136	25.4	22.1	1.65	0.339
36199	22.2	18.15	2.025	0.353	3660E	25.4	22.4	1.5	0.31
36254	22.2	19	1.6	0.285	36249	25.4	22.88	1.26	0.263
36564	22.2	19.4	1.4	0.252	3660B	25.4	23	1.2	0.251
3657	22.2	19.8	1.2	0.218	3660	25.4	23.4	1	0.211
36422	22.3	18	2.15	0.374	36243	25.4	23.9	0.75	0.16
36268	22.35	12.15	5.1	0.76	36274	25.5	13.5	6	1.011
36273	22.35	13.15	4.6	0.705	36475	25.5	14.1	5.7	0.975
36504	22.35	13.35	4.5	0.694	36804	25.5	19	3.25	0.625
36441	22.8	19.1	1.85	0.335	3612	25.5	21.28	2.11	0.426
36539	22.8	20.06	1.37	0.254	3660C	25.5	21.7	1.9	0.387
36182	23	21.4	0.8	0.153	36593	25.5	23.2	1.1	0.242
3601	23.5	20.8	1.35	0.258	36526	25.5	23.8	0.85	0.181
36708	23.6	19.4	2.1	0.39	36679	25.6	8.75	8.43	1.25
36387	23.65	20.8	1.425	0.274	36472	25.7	6	9.85	1.349
36107	23.8	18.8	2.5	0.46	36771	25.8	17.4	4.2	0.775
36562	23.8	19.2	2.3	0.427	36505	25.95	19.55	3.2	0.629
36353	23.8	21.8	1	0.197	36166	25.95	21.15	2.4	0.488
36108	23.9	20.7	1.6	0.308	3623	25.95	21.55	2.2	0.451
36651	24	6.3	8.85	1.158	36272	25.95	21.95	2	0.414
36292	24	11	6.5	0.983	36277	26	5.25	10.375	1.401
36284	24	12.7	5.65	0.896	36367	26	10.4	7.8	1.226
36348	24	18.6	2.7	0.497	36500	26	12.15	6.925	1.141
36666	24	22	1	0.199	36236	26	17	4.5	0.836
36109	24.2	20.6	1.8	0.348	36233	26	18	4	0.76
36480	24.25	21.85	1.2	0.239	36577	26	23.8	1.1	0.237
36228	24.3	21.7	1.3	0.258	36573	26.1	8	9.05	1.333
36603	24.7	17.8	3.45	0.633	36709	26.3	23	1.65	0.351
36426	25	8.7	8.15	1.186	36324	26.7	20.3	3.2	0.65
3658	25	10.4	7.3	1.116	36850	26.8	17.4	4.7	0.888
36372	25	10.8	7.1	1.098	36227	26.8	18.4	4.2	0.82
36501	25	12.2	6.4	1.028	36222	26.8	19.4	3.7	0.738
36496	25	15	5	0.864	36113	26.9	23.2	1.85	0.4
36253	25	19	3	0.57	36235	27	9	9	1.4
36202	25	23.4	0.8	0.167	36852	27	19	4	0.806

<依規格--圓管>

圓管	外徑	內徑	厚度	單米重	圓管	外徑	內徑	厚度	單米重
36613	27	22.45	2.2	0.486	36132	29.85	22.5	3.675	0.831
36510	27	23.8	1.6	0.351	36280	30	9	10.5	1.769
36267	27	24	1.5	0.33	36764	30	15	7.5	1.442
36275	27	25	1	0.225	36752	30	17	6.5	1.305
36342	27.1	13.1	7	1.216	36159	30	24	3	0.7
36660	27.15	24.15	1.5	0.332	36266	30	27	1.5	0.369
36597	27.5	20.1	3.7	0.761	36259	30	27.94	1.03	0.258
36375	27.6	18.4	4.6	0.914	IB605	30	28.2	0.9	0.226
36639	27.7	21.4	3.15	0.668	36665	30.2	8.8	10.7	1.803
36648	27.7	23.7	2	0.444	36812	30.2	11.4	9.4	1.689
36773	27.8	21.4	3.2	0.673	36711	30.25	9	10.63	1.801
36133	28	6.6	10.7	1.599	36309	30.3	12.5	8.9	1.645
36278	28	9	9.5	1.518	36631	30.5	21.5	4.5	1.011
G57196	28	9.5	9.25	1.498	36205	30.5	24.7	2.9	0.691
36822	28	12.3	7.85	1.367	36507	30.6	27.5	1.55	0.389
3661	28	13.1	7.45	1.323	36368	30.7	17	6.85	1.411
36787	28	14.3	6.85	1.238	36470	30.8	28.2	1.3	0.331
G57195	28	17.5	5.25	1.032	36469	30.9	28.5	1.2	0.308
36232	28	19	4.5	0.914	36321	31	19	6	1.296
36677	28	19.3	4.35	0.889	36186	31	20	5.5	1.212
36240	28	22.35	2.825	0.614	36250	31	25	3	0.718
36151	28	22.8	2.6	0.571	36730	31	28.5	1.25	0.321
IA1371	28	23	2.5	0.551	36468	31	29	1	0.259
36257	28.2	8.5	9.85	1.562	36231	31.2	16	7.6	1.55
36649	28.2	8.95	9.63	1.545	36810	31.2	27	2.1	0.528
36502	28.5	11	8.75	1.493	36155	31.3	26.5	2.4	0.599
36374	28.5	12	8.25	1.443	36568	31.3	29.1	1.1	0.287
36260	28.5	15.5	6.5	1.235	36323	31.6	21.4	5.1	1.168
36494	28.5	16.5	6	1.166	36509	31.6	26.5	2.55	0.64
G57197	28.5	22.2	3.15	0.69	36143	31.7	25.45	3.125	0.771
3602	28.5	26.1	1.2	0.283	36364	31.7	27.7	2	0.513
36234	28.55	20.55	4	0.848	36194	31.75	28.95	1.4	0.367
36271	28.55	21.95	3.3	0.72	36462	31.8	19.5	6.15	1.363
36207	28.55	22.35	3.1	0.682	36301	31.8	22	4.9	1.139
36170	28.57	22.57	3	0.663	36482	31.8	24.8	3.5	0.856
36483	28.6	18.6	5	1.019	36485	31.8	25.6	3.1	0.769
36451	28.6	19.5	4.55	0.945	36464	31.8	25.8	3	0.746
36497	28.6	20.2	4.2	0.885	36481	31.8	26.2	2.8	0.702
36486	28.6	22	3.3	0.721	36467	31.8	26.8	2.5	0.644
36345	28.6	24.6	2	0.46	36190	31.8	27.8	2	0.515
36514	28.6	24.96	1.82	0.421	36478	31.8	28.2	1.8	0.467
36242	28.7	27	0.85	0.205	36465	31.8	28.6	1.6	0.417
36647	28.9	8.95	9.97	1.631	36255	32	7	12.5	2.106
36325	28.92	15.9	6.51	1.26	36256	32	9	11.5	2.037
36519	29	17	6	1.192	36717	32	9.9	11.05	2
36110	29.2	15.85	6.675	1.299	36279	32	10.5	10.75	1.974
3654	29.5	15	7.25	1.394	36750	32	11	10.5	1.929
I5605	29.5	23.1	3.2	0.727	I5901	32	12	10	1.901
36314	29.5	23.5	3	0.687	36645	32	12.6	9.7	1.869
36131	29.6	16.4	6.6	1.311	36646	32	14.5	8.75	1.758
36512	29.75	19.05	5.35	1.128	36841	32	22	5	1.154

〈依規格—圓管〉

圓管	外徑	內徑	厚度	單米重	圓管	外徑	內徑	厚度	單米重
36270	32	24	4	0.968	36838	35.8	20	7.9	1.883
36118	32	28.8	1.6	0.42	36148	36	29	3.5	0.983
36405	32	29.5	1.25	0.332	36508	36	31	2.5	0.724
36783	32.1	20.9	5.6	1.268	36725	36	34	1	0.302
36808	32.2	8.5	11.85	2.083	36741	36.1	20.7	7.7	1.869
36111	32.2	16.5	7.85	1.651	36436	36.5	22.5	7	1.784
36354	32.2	25.1	3.55	0.879	36579	36.7	23.8	6.45	1.686
36183	32.3	22.9	4.7	1.121	36667	36.8	29.8	3.5	1.007
36547	32.5	7	12.75	2.176	3647	37	21	8	2.004
36654	32.5	19.2	6.65	1.485	36437	37	25.2	5.9	1.585
36791	32.5	29.9	1.3	0.347	36160	37	28.1	4.45	1.251
36643	32.7	7	12.85	2.204	36349	37	28.5	4.25	1.202
36662	32.7	29.75	1.5	0.398	3699	37.1	8.9	14.1	2.785
36856	33	8.8	12.1	2.161	36265	37.5	33.1	2.2	0.671
36758	33	12.3	10.35	2.003	36736	37.6	10.4	13.6	2.789
36722	33	27.3	2.85	0.742	36400	37.6	32.6	2.5	0.758
36600	33	27.8	2.6	0.683	36550	38	10	14	2.903
36599	33	29	2	0.536	36373	38	16.7	10.65	2.516
36178	33	31.2	0.9	0.25	36100	38	19	9.5	2.339
36655	33.2	28.7	2.25	0.602	36174	38	20.7	8.65	2.193
36210	33.3	28	2.65	0.702	36328	38	26	6	1.659
36629	33.4	29.6	1.9	0.517	36471	38	28	5	1.426
36252	33.5	22	5.75	1.379	36365	38	30	4	1.175
36276	33.6	18	7.8	1.739	36656	38	31.7	3.15	0.948
MB302	33.6	28.6	2.5	0.672	36746	38	31.8	3.1	0.924
36146	33.7	30.7	1.5	0.417	36412	38	32	3	0.907
36826	33.8	21.3	6.25	1.488	3665	38	32.2	2.9	0.879
36794	33.8	31.3	1.25	0.348	36817	38	33.4	2.3	0.709
36154	34	13	10.5	2.132	P5002	38	36	1	0.32
36727	34	16.3	8.85	1.923	3665A	38.05	28	5.025	1.434
36332	34	19	7.5	1.717	36187	38.1	25	6.55	1.785
36398	34	20.5	6.75	1.589	36450	38.1	25.4	6.35	1.742
36517	34	22.5	5.75	1.403	36487	38.1	34	2.05	0.638
36410	34	25	4.5	1.147	36339	38.1	35.3	1.4	0.444
36627	34.3	31	1.65	0.465	36112	38.2	14.9	11.65	2.672
36601	34.5	15	9.75	2.085	36413	38.4	18	10.2	2.485
36308	34.6	23.2	5.7	1.423	36530	38.4	28	5.2	1.492
36842	35	8	13.5	2.48	36125	38.4	33.5	2.45	0.761
36529	35	10	12.5	2.43	3666	38.4	35.8	1.3	0.417
36528	35	15	10	2.16	36691	38.4	36	1.2	0.386
36495	35	18	8.5	1.946	36756	38.5	11	13.75	2.908
36326	35	22	6.5	1.6	36757	39	12.8	13.1	2.899
36158	35	26	4.5	1.186	36801	39	33	3	0.933
36411	35	27	4	1.071	36203	39.2	23	8.1	2.176
36393	35	30.8	2.1	0.597	36674	39.2	36	1.6	0.52
36241	35	33	1	0.294	36795	39.4	20	9.7	2.462
3620	35.1	28.6	3.25	0.894	36590	39.5	31.5	4	1.227
3698	35.5	18	8.75	2.022	36588	39.8	33.2	3.3	1.041
36189	35.5	28	3.75	1.029	36824	39.92	30.2	4.86	1.472
36809	35.6	28.6	3.5	0.971	36824	39.92	30.2	4.86	1.472
36778	35.7	31.3	2.2	0.63	36770	39.94	37.54	1.2	0.397

〈依規格—圓管〉

圓管	外徑	內徑	厚度	單米重	圓管	外徑	內徑	厚度	單米重
36520	40	19	10.5	2.676	36835	45	37	4	1.417
36831	40	21.7	9.15	2.439	36415	45	39	3	1.089
3622	40	22.9	8.55	2.323	36811	45	40	2.5	0.918
36312	40	29	5.5	1.639	36832	45.1	17.1	14	3.762
36329	40	30	5	1.512	36306	45.5	39	3.25	1.186
36161	40	32	4	1.244	36732	46	10.3	17.85	4.341
36670	40	36.8	1.6	0.531	36616	46	25.2	10.4	3.199
36264	40.5	36.1	2.2	0.728	36744	46	27.1	9.45	2.951
36217	40.5	36.2	2.15	0.712	36807	46	31	7.5	2.495
3637	40.6	25.7	7.45	2.134	36305	46	38	4	1.451
36853	41	14.5	13.25	3.177	36377	47	14	16.5	4.348
36853	41	14.5	13.25	3.142	36479	47	19	14	3.991
36541	41	18.5	11.25	2.891	36378	47	25	11	3.421
36452	41	21	10	2.678	36346	47	27.4	9.8	3.15
36414	41	29	6	1.814	36792	47	42	2.5	0.951
36211	41	34	3.5	1.134	36358	47.1	35.4	5.85	2.085
36476	41.1	21.9	9.6	2.613	36712	47.63	36.53	5.55	2.018
36612	41.5	10.5	15.5	3.482	36846	48	25	11.5	3.597
36857	41.5	15.5	13	3.175	36218	48	37	5.5	2.019
36796	41.5	30.5	5.5	1.711	36446	48	40	4	1.521
36661	41.75	38.75	1.5	0.522	36363	48	41	3.5	1.346
36534	42	22	10	2.765	36360	48.2	41.8	3.2	1.244
36635	42	30	6	1.866	36739	48.4	31.1	8.65	2.938
36851	42	38	2	0.684	3608	48.5	43.9	2.3	0.908
36740	42.1	25.2	8.45	2.43	36188	48.6	39.3	4.65	1.766
36767	42.1	39	1.55	0.537	36723	48.7	40.1	4.3	1.649
36445	42.2	28	7.1	2.153	36620	48.8	25.2	11.8	3.772
36204	42.2	31	5.6	1.771	36156	49	31	9	3.11
36641	42.5	36.5	3	1.024	36157	49	35.5	6.75	2.464
36316	43	31	6	1.918	36140	50	15.65	17.175	4.871
36335	43	33.5	4.75	1.57	36322	50	31	9.5	3.324
36361	43	35.5	3.75	1.272	36287	50	36	7	2.6
36839	43	37	3	1.025	36523	50	40	5	1.944
36454	43.85	27.15	8.35	2.561	36719	50	40.8	5	1.804
36785	44	24	10	2.905	36763	50	42	4	1.572
36341	44	31	6.5	2.106	MV108	50	42	4	1.59
36394	44	36	4	1.382	I8933	50	46	2	0.829
36456	44	38.85	2.575	0.922	36531	50.5	35	7.75	2.862
36535	44.2	17.8	13.2	3.535	36827	50.7	40.7	5	1.974
36376	44.5	14.2	15.15	3.842	3638	50.8	18	16.4	4.874
36460	44.5	31.7	6.4	2.107	36383	50.8	25.4	12.7	4.18
36617	44.5	34.5	5	1.706	36334	50.8	38	6.4	2.455
36362	44.5	37.5	3.5	1.24	36734	50.8	39	5.9	2.264
36474	44.5	38.5	3	1.076	36745	50.8	40	5.4	2.095
36431	44.7	31.3	6.7	2.2	36290	50.8	40.8	5	1.978
36459	44.9	25	9.95	3.004	36640	50.8	44.5	3.15	1.297
36350	45	16	14.5	3.821	36447	50.8	47.6	1.6	0.68
36743	45	22	11.5	3.292	36319	51	38	6.5	2.499
36774	45	27	9	2.769	36142	51	44.5	3.25	1.341
36765	45	32	6.5	2.138	36843	51.2	22	14.6	4.566
36557	45	35	5	1.728	MR501	51.3	47.3	2	0.852

〈依規格—圓管〉

圓管	外徑	內徑	厚度	單米重	圓管	外徑	內徑	厚度	單米重
36815	51.4	47.2	2.1	0.894	36384	59	41	9	3.888
36845	51.5	27	12.25	4.137	36230	59	46	6.5	2.948
3667	51.5	39.5	6	2.359	36215	59.1	43.5	7.8	3.457
3644	51.6	22	14.8	4.705	36391	59.6	52	3.8	1.832
HB801	52	8.5	21.75	5.684	36862	59.8	47.2	6.3	2.88
36491	52	17.2	17.4	5.201	36343	60	12	24	7.464
36806	52	27.5	12.25	4.207	36762	60	42	9	3.922
36718	52	34	9	3.343	36424	60	56.4	1.8	0.905
36672	52	44	4	1.659	36532	60.5	50	5.25	2.506
3618	53	33	10	3.715	36417	60.5	52	4.25	2.065
36782	53	39.5	6.75	2.668	36403	60.6	38.1	11.25	4.796
36515	53.2	43.15	5.025	2.091	36821	61	27	17	6.462
36652	54	23	15.5	5.156	3646	61	47	7	3.266
36621	54	28	13	4.605	36458	61	49	6	2.851
36742	54	38	8	3.145	36320	61	54.3	3.35	1.669
36786	54	40	7	2.811	36714	61	57	2	1.019
36728	54	50	2	0.898	36315	61.2	55.3	2.95	1.485
36291	54.1	48.5	2.8	1.241	36690	62	30	16	6.359
36302	54.2	45	4.6	1.971	36392	62	43.5	9.25	4.215
36477	54.5	27.8	13.35	4.746	36578	62.3	58	2.15	1.117
36558	54.6	41.6	6.5	2.701	36533	63	50	6.5	3.173
36664	54.7	23.1	15.85	5.31	36317	63	60	1.5	0.797
I8934	54.7	50.3	2.2	0.998	36130	63.4	55	4.2	2.148
36675	54.8	47.4	3.7	1.633	36448	63.5	22	20.75	7.664
36379	55	30	12.5	4.59	36219	63.5	48	7.75	3.733
36623	55	50	2.5	1.134	36560	63.5	54.1	4.7	2.388
36434	55	51.2	1.9	0.872	36282	63.5	59.9	1.8	0.959
36663	55.4	48.5	3.45	1.548	3619	63.7	43	10.35	4.77
36229	55.85	48.25	3.8	1.709	36381	64	40	12	5.391
36775	56	29	13.5	4.903	36836	64	46	9	4.23
36737	56	34	11	4.23	36630	64.5	60.1	2.2	1.184
36453	56	43.5	6.25	2.686	36395	64.7	54	5.35	2.743
36761	56	50	3	1.359	36608	64.7	60.3	2.2	1.188
36283	56.4	53.8	1.3	0.619	36352	65	60	2.5	1.35
36331	56.5	45	5.75	2.521	36776	66	58.5	4	1.995
36380	57	24	16.5	5.773	36216	66.1	36.9	14.6	6.496
36516	57	40.2	8.4	3.527	36195	66.5	40	13.25	6.096
36311	57	48	4.5	2.041	36385	67	47	10	4.924
36420	57.5	18.5	19.5	6.402	36214	67	49	9	4.51
36638	57.5	31	13.25	5.065	36644	67.5	55	6.25	3.307
3610	57.5	34	11.75	4.644	36226	67.8	60.2	3.8	2.101
36201	57.5	38	9.75	4.022	36678	68	62	3	1.685
36141	57.5	46	5.75	2.571	36698	68.8	54	7.4	3.925
36847	57.5	50	3.75	1.726	3688	69	50.5	9.25	4.775
36213	58	37	10.5	4.309	3693	69.4	63.7	2.85	1.639
3642	58	39	9.5	3.981	3641	70	24	23	9.339
36781	58	44	7	3.051	36245	70	36	17	7.784
36408	58	49	4.5	2.08	36439	70	47	11.5	5.812
36814	58.3	54.9	1.7	0.831	36777	70	57.5	6.25	3.405
36702	58.8	43.5	7.65	3.381	36559	70	64	3	1.737
3643	59	34	12.5	5.022	M7368	71	42	14.5	7.078

〈依規格—圓管〉

圓管	外徑	內徑	厚度	單米重	圓管	外徑	內徑	厚度	單米重
36834	71	63	4	2.29	36861	83.5	39	22.5	11.774
36119	72	57	7.5	4.179	36389	84	50	17	9.84
36729	72	68	2	1.21	36676	84	77.5	3.25	2.267
36823	72.3	62.5	4.9	2.853	36197	85	56	14.5	8.832
36823	72.3	62.5	4.9	2.853	36699	86	61	12.5	7.937
36262	73	21.5	25.75	10.511	3635	86	79.85	3.075	2.203
36263	73	25.5	23.75	10.105	36466	86.8	47	19.9	11.502
3677	73	34	19.5	9.013	36390	86.9	53.7	16.6	10.082
36710	73	36	18.5	8.711	36461	88.5	64.3	12.1	7.987
36554	73	57.8	7.6	4.294	3625	89	84	2.5	1.868
36622	73	67.6	2.7	1.64	36418	89.4	85	2.2	1.657
36755	73.5	54.9	9.3	5.102	36399	90	55	17.5	10.961
36671	73.5	67.2	3.15	1.915	36748	91	59	16	10.254
36813	73.7	69.1	2.3	1.419	36754	91	59	16	10.254
36129	74	49	12.5	6.642	3672	91	80	5.5	4.063
36327	74	63	5.5	3.255	36689	91	80	5.5	4.063
36221	74	66.8	3.6	2.19	36855	91	88	1.5	1.186
36724	75	59	8	4.631	36544	93	33	30	16.328
36421	75.5	18.5	28.5	11.572	36396	93.45	87	3.225	2.514
36382	75.5	54.7	10.4	5.849	36768	94	21.5	36.25	17.889
36605	75.8	50	12.9	7.01	36307	94	44.3	24.85	14.846
36733	76	26	25	11.015	36680	94	72	11	7.888
36440	76	53	11.5	6.408	36388	94	75	9.5	6.935
36371	76	70	3	1.892	36489	94	86	4	3.11
36784	76	72.8	1.6	1.017	3639	94.2	36	29.1	16.367
36248	76.1	58	9.05	5.242	36285	95	25	35	18.143
36318	76.2	62	7.1	4.239	36304	95	34	30.5	16.996
36793	76.2	73.2	1.5	0.957	36692	96	35.5	30.25	17.183
36524	76.5	60	8.25	4.865	36693	96	49	23.5	14.719
36844	77	48	14.5	7.744	36694	96	63	16.5	11.333
36618	77	66	5.5	3.397	36606	96	68	14	9.918
36191	77	67.4	4.8	2.994	36685	96	88	4	3.179
36281	77	71	3	1.918	36427	98.3	74.7	11.8	8.818
36561	77.2	44.5	16.35	8.595	36596	99.8	95.8	2	1.69
36800	77.5	72.8	2.35	1.509	36695	100	62	19	13.296
36766	77.5	74.1	1.7	1.101	3675	100	90	5	4.104
36687	78	55	11.5	6.607	36351	100	96	2	1.693
36220	78	55.8	11.1	6.416	3673	100.2	94	3.1	2.601
36313	78	68	5	3.153	36552	101.4	95.4	3	2.55
36650	79	72.8	3.1	2.033	36684	101.6	77.6	12	9.289
36701	80	37.5	21.25	10.786	36703	101.6	89.6	6	4.956
36370	80	76	2	1.348	36669	102	48	27	17.495
36610	81	19	31	13.391	36721	102	82	10	7.948
36688	81	30	25.5	12.227	36607	102.5	98.4	2.05	1.779
36628	81.5	34	23.75	11.849	36624	104	100	2	1.762
36246	82.5	21	30.75	13.748	36697	105	45	29.5	19.439
36769	82.5	30	26.25	12.617	3633	106	99.85	3.075	2.734
36830	82.5	40	21.25	11.245	36185	106.8	36	35.4	21.837
36261	83	44.3	19.35	10.641	36788	107.5	32	37.75	22.5
36407	83	74	4.5	3.052	36790	107.5	54	26.75	18.458
3640	83.5	36	23.75	12.26	36704	107.5	73	17.25	13.45

<依規格--圓管>

圓管	外徑	內徑	厚度	單米重		圓管	外徑	內徑	厚度	單米重
36759	109	39	35	22.132						
36705	110	48	31	21.158						
36582	110	106	2	1.866						
36706	112	42	35	23.283						
36347	112	90	11	9.598						
36299	112	100	6	5.495						
36258	112.5	76.5	18	14.696						
36303	113.2	36	38.6	24.878						
36355	114	88	13	11.344						
36594	114.3	110.1	2.1	2.036						
36653	116	69	23.5	18.78						
36789	116	95	10.5	9.466						
36247	119.5	36	41.75	28.044						
36587	119.5	54	32.75	24.545						
AD193	120	30	45	29.158						
36295	120	115.8	2.1	2.139						
36340	123	100	11.5	11.078						
36457	125	82	21.5	19.225						
36296	127	100.5	13.25	13.021						
M0699	127	112.6	7.2	7.452						
36581	127	123.8	1.6	1.733						
36239	127.76	122.76	2.5	2.705						
36409	131.5	108.5	11.5	11.922						
36696	134	89	22.5	21.674						
36625	135.3	117	9.15	9.972						
36126	137	100	18.5	18.94						
36720	139	119	10	11.145						
36589	139.8	134.2	2.8	3.314						
36357	140	135	2.5	2.97						
MA102	140	136	2	2.384						
36134	141	47	47	38.169						
36134	141	47	47	37.752						
36138	141.25	128.3	6.475	7.539						
36493	141.5	117.5	12	13.426						
AD194	150	45	52.5	44.223						
36818	151	139.2	5.9	7.396						
3611	151.5	137	7.25	9.035						
36423	152	148	2	2.592						
36498	152.2	137	7.6	9.494						
36802	153	138	7.5	9.428						
36802	153	138	7.5	9.428						
36700	154	116	19	22.16						
36683	161	144	8.5	11.199						
36359	165	151.5	6.75	9.228						
36716	178	106	36	44.165						
36673	185	144	20.5	29.134						
36798	188	144	22	31.551						
36184	191.5	174	8.75	13.815						
36626	200	194	3	5.106						
36401	203.5	187	8.25	13.916						